



Product Index

Published May 2026

Splashpad®

PoolPlay™

Lazy River

Playable Fountain

CoolHub™

Water management



DYNAMIK N°1

VOR 7275

Dimensions
28×19×13 in
71×48×33 cm

Flow
1-2 GPM
3.8-7.6 LPM

Safeswap N°2

Pressure
1-4 PSI
0.1-0.3 BAR

Seeflow™

Feature Combo
● or ● ●



DYNAMIK N°2

VOR 7276

Dimensions
33×17.5×10.5 in
84×44.5×27 cm

Flow
1-2 GPM
3.8-7.6 LPM

Safeswap N°2

Pressure
1-4 PSI
0.1-0.3 BAR

Seeflow™

Feature Combo
● or ● ●



TACTIK

VOR 7277

Dimensions
30×10×10 in
77×26×26 cm


Flow
1-2 GPM
3.8-7.5 LPM

Safeswap N°2

Pressure
8-20 PSI
0.6-1.4 BAR

PulseSpray™

● or ● ●



REFLEX

VOR 7278

Dimensions
52×70×14 in
132×178×36 cm

Flow
6-8 GPM
23-30 LPM


Safeswap N°1 X2

Pressure
13-17 PSI
0.9-1.2 BAR

Seeflow™

DualSpray™
● or ● ●

JIG REQUIRED



LINK N°1

VOR 7279

Dimensions
72×14×21 in
183×36×53 cm

Flow
7-9 GPM
26-34 LPM

Safeswap N°1

Pressure
4-6 PSI
0.3-0.4 BAR

DualSpray™

● or ● ●



HYPERLINK

VOR 7280

Dimensions
104×75×14 in
264×190×36 cm

Flow
2-4 GPM
7.5-15 LPM

Safeswap N°1

Pressure
13-17 PSI
0.9-1.2 BAR

Seeflow™

●



DEFLEX

VOR 7281

Dimensions
133×43×31.5 in
338×109×80 cm

Flow
6-8 GPM
23-30 LPM

Safeswap N°1

Pressure
12-18 PSI
0.8-1.2 BAR

Seeflow™

Bucket

● or ● ●

DualSpray™

● or ● ●



APEX

VOR 7282

Dimensions
140.5×65×32 in
357×165×81 cm

Flow
9-11 GPM
34-42 LPM

Safeswap N°1 X1

Pressure
6-8 PSI
0.4-0.5 BAR


Seeflow™

Bucket + DualSpray™

● or ● ●



NEW



VERTIK


VOR 7283

Dimensions
35×19×10 in
89×48×26 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°2

Pressure
5-7 PSI
0.3-0.5 BAR



LINK N°2

VOR 7284

Dimensions
109×49×40 in
277×124×102 cm

Flow
5-7 GPM
19-26 LPM

Safeswap N°1

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™

●

DualSpray™

● or ● ●

NEW



EPIK N°1

VOR 7288

Dimensions
239×77×77 in
607×196×196 cm

Flow
20-24 GPM
76-91 LPM

Safeswap N°1 X1

* Available with graphic panel

Pressure
7-9 PSI
0.5-0.6 BAR

Seeflow™ Buckets

● or ● ●



NEW



EPIK N°2

VOR 7289

Dimensions
239×77×78 in
607×196×198 cm

Flow
20-24 GPM
76-91 LPM

Safeswap N°1 X1

* Available with graphic panel

Pressure
7-9 PSI
0.5-0.6 BAR

Seeflow™ Buckets

● or ● ●





ASTRA N°1

VOR 7697

Dimensions
102×63×63 in
259×160×160 cm

Flow
10-25 GPM
38-95 LPM


Safeswap N°2

Pressure
5-8 PSI
0.3-0.6 BAR

Seefflow™ Buckets*



*All of same color



HELIO N°2

VOR 7237

Dimensions
49×32×32 in
124×81×81 cm

Flow
4-8 GPM
15-30 LPM

Safeswap N°2

Pressure
4-5 PSI
0.3-0.3 BAR

Orb



ASTRA N°2

VOR 7698

Dimensions
107×79×79 in
259×160×160 cm

Flow
5-10 GPM
19-38 LPM

Safeswap N°2

Pressure
5-8 PSI
0.3-0.6 BAR

Seefflow™ Buckets*



*All of same color



HELIO N°3

VOR 7238

Dimensions
49×32×32 in
124×81×81 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°2

Pressure
4-7 PSI
0.3-0.5 BAR

Orb



ASTRA N°3

VOR 7699

Dimensions
102×63×63 in
259×160×160 cm

Flow
10-25 GPM
38-95 LPM

Heavy Duty Safeswap N°1

Pressure
5-8 PSI
0.3-0.6 BAR



HELIO N°4

VOR 7239

Dimensions
46×45×32 in
116×114×81 cm


Flow
20-30 GPM
76-114 LPM

Safeswap N°2

* Great for use in PoolPlay™

Pressure
3-4 PSI
0.2-0.3 BAR

Orb



BOBBLE N°1

VOR 7232

Dimensions
36×21×21 in
91×53×53 cm

Flow
4-8 GPM
15-30 LPM


Safeswap N°2

Pressure
6-12 PSI
0.4-0.8 BAR

Seefflow™ Bowl



Orb



HELIO N°6

VOR 7241

Dimensions
147×45×32 in
373×114×81 cm

Flow
10-16 GPM
38-61 LPM

Heavy Duty Safeswap N°1

Pressure
8-11 PSI
0.6-0.8 BAR

Orb



BOBBLE N°2

VOR 7233

Dimensions
34×40×43 in
86×101×109 cm

Flow
17-26 GPM
64-98 LPM

Safeswap N°2

Pressure
5-6 PSI
0.3-0.4 BAR

Seefflow™ Bowls



Orbs



LUNA CANNON N°1

VOR 7235

Dimensions
39×27×12 in
99×68×30 cm

Flow
6-7 GPM
23-26 LPM

Safeswap N°2

Pressure
7-8 PSI
0.5-0.6 BAR

Orb



HELIO N°1

VOR 7236

Dimensions
50×32×32 in
127×81×81 cm


Flow
43-50 GPM
163-189 LPM

Safeswap N°2

* Great for use in PoolPlay™

Pressure
5-6 PSI
0.3-0.4 BAR

Orb



LUNA N°1

VOR 7230

Dimensions
56×85×12 in
142×215×30 cm


Flow
8-12 GPM
30-45 LPM

Safeswap N°2 only x1

Pressure
3-5 PSI
0.2-0.4 BAR

Orbs





LUNA N°2

VOR 7231

Dimensions
49x77x21 in
124x195x53 cm

Flow
6-8 GPM
22-30 LPM

Pressure
4-6 PSI
0.3-0.4 BAR

Seeflow™ Bowl



Orbs



* Specific Safeswap



LUNA N°3

VOR 7234

Dimensions
69x58x20 in
175x147x50 cm

Flow
5-8 GPM
19-30 LPM

Pressure
6-10 PSI
0.4-0.7 BAR

Orb



Safeswap N°1 only x1

Nautical



BOW N°2

VOR 7783

Dimensions
46x22x31.5 in
117x56x80 cm

Flow
4-6 GPM
15-23 LPM

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Panel



Safeswap N°2
* Fix color combinations



BOAT WHEEL N°1

VOR 7678

Dimensions
52x22x29 in
132x56x74 cm

Flow
3-6 GPM
11-23 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Wheel



Safeswap N°2



BOAT ANCHOR N°1

VOR 7791

Dimensions
118x62x39 in
299x157x99 cm


Flow
29-34 GPM
110-129 LPM

Pressure
8-12 PSI
0.6-0.8 BAR

Seeflow™ Panel



Safeswap N°1



SAIL TWIRL N°1

VOR 7677

Dimensions
159x71x12 in
405x180x30.5 cm

Flow
3-6 GPM
11-23 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Safeswap N°2
* Available with custom graphics



SAILBOAT N°3

VOR 7680

Dimensions
237x79x121 in
602x201x307 cm

Flow
11-22 GPM
42-83 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ + Bucket



Embeds x7 + Safeswap N°2 x1
* Fix color combinations



FISH N°1
VOR 7218

Dimensions
33×27×14 in
83×69×36 cm

Flow
3-5 GPM
11-19 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Fins



Safeswap N°1



SNAIL N°4
VOR 7217

Dimensions
31×18×27 in
79×45×68 cm

Flow
5-8 GPM
19-30 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Safeswap N°1
* Fix color combinations



CRAB N°1
VOR 7208

Dimensions
27×29×20.5 in
69×74×52 cm

Flow
3-5 GPM
11-19 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Claws



Safeswap N°1



FROG N°1
VOR 7200

Dimensions
25×20×20 in
64×51×51 cm

Flow
10-13 GPM
38-49 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Safeswap N°1



TURTLE N°2
VOR 7216

Dimensions
23×26×29 in
58×65×73 cm

Flow
10-15 GPM
38-57 LPM

Pressure
2-4 PSI
0.1-0.3 BAR

Leg panels (opaque)



Safeswap N°1



FROG N°2
VOR 7201

Dimensions
25×20×20 in
64×51×51 cm

Flow
3-5 GPM
11-19 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Safeswap N°1



BUTTERFLY N°1
VOR 7792

Dimensions
31×25×18 in
78×63×45 cm

Flow
5-8 GPM
19-30 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Upper Wings



Seeflow™ Lower Wings



Safeswap N°1



FROG N°5
VOR 7658

Dimensions
111×58×40 in
279×157×102 cm

Flow
80-100 GPM
303-379 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Fins



Safeswap N°1 x2
* Great for use in PoolPlay™

JIG REQUIRED



SNAKE N°1
VOR 7213

Dimensions
137×57×24 in
349×145×61 cm

Flow
20-40 GPM
76-151 LPM

Pressure
10-20 PSI
0.7-1.4 BAR

Seeflow™ Fins



Safeswap N°1
* Great for use in PoolPlay™



JELLYFISH N°1
VOR 7215

Dimensions
108×40×42 in
274×102×107 cm

Flow
80-100 GPM
303-379 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Crest



Safeswap N°2 x3
* Great for use in PoolPlay™

JIG REQUIRED



SNAKE N°2
VOR 7214

Dimensions
142×56×20 in
361×143×51 cm

Flow
5-8 GPM
19-30 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Fins



Safeswap N°1



SPIDER

VOR 7653

Dimensions
191x153x139 in
485x388x353 cm

Flow
30-40 GPM
114-151 LPM

Pressure
8-10 PSI
0.6-0.7 BAR

Fang/Claws/Legs



JIG REQUIRED

Safeswap N°2 x4



SCORPION

VOR 7652

Dimensions
190x139x187 in
482x353x475 cm

Flow
59-121 GPM
223-258 LPM

Pressure
10-25 PSI
0.7-1.7 BAR

Body/Bucket/Claws



JIG REQUIRED

* Specific Safeswap N°15 x1 + N°2 x5



BEAR CANNON

VOR 7602

Dimensions
45x16x15 in
114x41x39 cm

Flow
4-6 GPM
15-23 LPM

Pressure
5-7 PSI
0.3-0.5 BAR

Safeswap N°1
* Limited color propositions



WOLF CANNON

VOR 7601

Dimensions
46x14x15 in
117x35x39 cm

Flow
4-6 GPM
15-23 LPM

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ ears



Safeswap N°1
* Limited color propositions



HORSE CANNON

VOR 0210

Dimensions
45x21x13 in
115x53x33 cm

Flow
4-6 GPM
15-23 LPM

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Hair



Safeswap N°1
* Limited color propositions

JIG REQUIRED

ELEPHANT LOOP

VOR 8861

Dimensions
80x11x81 in
203x28x206 cm


Flow
10-14 GPM
38-53 LPM

Pressure
8-12 PSI
0.5-0.8 BAR

Seeflow™ ears



Safeswap N°2 x2



ALLIGATOR


VOR 1102

Dimensions
23x25x32 in
58x64x81 cm

Flow
25-30 GPM
94-113 LPM

Pressure
5-8 PSI
0.3-0.6 BAR

* Fix color proposition
* Great for use in PoolPlay™



MONKEY CANNON

VOR 0205

Dimensions
45x15x17 in
114x39x43 cm

Flow
4-6 GPM
15-23 LPM

Pressure
5-7 PSI
0.3-0.5 BAR

Safeswap N°1
* Fix color combinations



HELICO BIRDS

VOR 7258

Dimensions
155x111x30 in
394x282x76 cm

Flow
10-15 GPM
37-56 LPM

Safeswap N°2

Pressure
7-10 PSI
0.5-0.7 BAR

Seeflow™ Bird Body



PIRATE CANNON

VOR 0209

Dimensions
44x12x18 in
112x30x46 cm

Flow
4-6 GPM
15-23 LPM

Pressure
5-7 PSI
0.3-0.5 BAR

Safeswap N°1



HELICO BUTTERFLIES

VOR 7262

Dimensions
161x99x28 in
409x251x71 cm


Flow
8-12 GPM
30-45 LPM

Safeswap N°2
* Fix color combinations

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Wings





SEA SILHOUETTE ANGELFISH

VOR 7685

Dimensions
140x93x13 in
356x236x33 cm

Flow
11-19 GPM
42-72 LPM

Pressure
6-10 PSI
0.4-0.7 BAR

Seeflow™ Face


*Safeswap N°22 w Podspray



SEA SILHOUETTE PELICAN

VOR 7688


Dimensions
143x102x13 in
363x259x33 cm

Flow
5-10 GPM
19-38 LPM

Pressure
6-10 PSI
0.4-0.7 BAR

Seeflow™ Beak


Safeswap N°2
*Fix color propositions



SEA SILHOUETTE FISH

VOR 7687

Dimensions
144x59x13 in
366x150x33 cm

Flow
10-18 GPM
38-68 LPM

Pressure
6-10 PSI
0.4-0.7 BAR

Seeflow™ Face


Safeswap N°1



DOLPHIN

VOR 7255

Dimensions
48 x16 x29 in
122 x41 x73 cm

Flow
6-12 GPM
23-45 LPM

Pressure
5-8 PSI
0.3-0.6 BAR

Seeflow™ Body


Safeswap N°2



SEA SILHOUETTE TURTLE

VOR 7689

Dimensions
154x133x13 in
391x338x33 cm

Flow
6-10 GPM
23-38 LPM

Pressure
4-6 PSI
0.3-0.4 BAR

Seeflow™ Head/Bucket


Safeswap N°1



SEA SILHOUETTE WHALE

VOR 7259

Dimensions
138 x82 x165 in
352 x209 x420 cm

Flow
13-21 GPM
49-79 LPM

Pressure
14-24 PSI
1.0-1.7 BAR

Seeflow™ Parts


Safeswap N°1 x3

JIG REQUIRED



SEA SILHOUETTE OCTOPUS

VOR 7691

Dimensions
85x134x129 in
216x340x327 cm

Flow
17-37 GPM
64-140 LPM

Pressure
10-25 PSI
0.7-1.7 BAR

Seeflow™ Tentacles


Safeswap N°1 x1, Safeswap N°2 x4



FLOWER N°1
VOR 7549

Dimensions
135x28x65 in
343x72x165 cm

Flow
5-25 GPM
19-95 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Dome



FLOWER N°10
VOR 7260

Dimensions
73x18x30 in
185x47x76 cm

Flow
2-3 GPM
7.5-11 LPM

Safeswap N°2

Pressure
2-4 PSI
0.1-0.3 BAR

Seeflow™ Flower



Seeflow™ Leaves



FLOWER N°2
VOR 7550

Dimensions
135x107x30 in
343x272x76 cm

Flow
15-30 GPM
57-114 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Dome/Flower



AQUALIEN FLOWER N°1
VOR 7388

Dimensions
98x30x30 in
249x76x76 cm

Flow
5-10 GPM
19-38 LPM

Safeswap N°2

Pressure
4-6 PSI
0.3-0.4 BAR

Seeflow™ Dome



FLOWER N°5
VOR 7265

Dimensions
153x19x102 in
389x48x259 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°1

Pressure
4-5 PSI
0.3-0.35 BAR

Seeflow™ Flower



AQUALIEN FLOWER N°2
VOR 1331

Dimensions
86x30x30 in
218x76x76 cm

Flow
1-5 GPM
4-19 LPM

Safeswap N°2

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Flower



FLOWER N°6
VOR 7266

Dimensions
153x30x99 in
390x76x251 cm

Flow
10-13 GPM
38-49 LPM

Safeswap N°1

Pressure
5-6 PSI
0.3-0.4 BAR

Seeflow™ Flower



Seeflow™ Spinner



AQUALIEN FLOWER N°3
VOR 7389

Dimensions
44x20x20 in
112x50x50 cm

Flow
1-3 GPM
4-11 LPM

Safeswap N°2

Pressure
3-4 PSI
0.2-0.3 BAR

Seeflow™ Dome



FLOWER N°7
VOR 7267

Dimensions
153x19x49 in
390x48x124 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°1

Pressure
4-5 PSI
0.3-0.35 BAR

Seeflow™ Flower



TALL GRASS N°1
VOR 7263


Dimensions
75x15x19 in
190x38x49 cm

Flow
5-10 GPM
19-38 LPM

Safeswap N°2

Pressure
8.12 PSI
0.6-0.8 BAR

Seeflow™



FLOWER N°9
VOR 7268

Dimensions
153x90x77 in
389x229x195 cm

Flow
4-8 GPM
15-30 LPM

Safeswap N°1

Pressure
4-5 PSI
0.3-0.35 BAR

Seeflow™ Flower



TALL GRASS N°2
VOR 7264

Dimensions
96x16x17 in
244x40x43 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°2

Pressure
1-3 PSI
0.1-0.2 BAR

Seeflow™





CATTAIL

VOR 7538

Dimensions
128x13x33 in
325x33x84 cm

Flow
2-6 GPM
8-23 LPM

Safeswap N°2

Pressure
6-8 PSI
0.4-0.6 BAR

SeeFlow™ Cattail



LEAF N°1

VOR 7548


Dimensions
129x97x35 in
327x246x89 cm

Flow
3-6 GPM
11-23 LPM

Safeswap N°1

Pressure
10-20 PSI
0.7-1.4 BAR

SeeFlow™ Leaf



CATTAIL TWIRL

VOR 7782

Dimensions
143x12x35 in
362x30x89 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°2

Pressure
5-6 PSI
0.3-0.4 BAR

SeeFlow™ Cattail



LEAF N°2

VOR 7657

Dimensions
129x97x35 in
327x246x89 cm

Flow
3-8 GPM
11-30 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

SeeFlow™ Leaf



VINE

VOR 7784

Dimensions
131x58x76 in
333x148x193 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°2

Pressure
5-6 PSI
0.3-0.4 BAR

SeeFlow™ Leaves



LEAF N°3

VOR 7672


Dimensions
129x121x55 in
328x307x140 cm

Flow
5-15 GPM
19-57 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

SeeFlow™ Leaves



GARDENBUG

VOR 7785


Dimensions
138x56x98 in
350x142x249 cm

Flow
6-12 GPM
23-45 LPM

Safeswap N°2

Pressure
6-8 PSI
0.4-0.6 BAR

SeeFlow™ Hands



BLOOM N°1

VOR 7486

Dimensions
120x55x64 in
305x140x163 cm

Flow
7-10 GPM
26-38 LPM


Safeswap N°2

Pressure
6-9 PSI
0.4-0.6 BAR

SeeFlow™ Leaves



SeeFlow™ Petals



OAK TREE

VOR 8493

Dimensions
199x14x95 in
505x35x241 cm

Flow
8-15 GPM
30-57 LPM

Heavy Duty Safeswap N°1
* Fix color proposition

Pressure
10-25 PSI
0.7-1.7 BAR

SeeFlow™ Leaves/Bucket



SPRIG N°1

VOR 1120

Dimensions
142x68x89 in
361x173x226 cm

Flow
18-22 GPM
68-83 LPM

Safeswap N°1

* Great for use in PoolPlay™

Pressure
5-6 PSI
0.3-0.4 BAR

SeeFlow™ Leaf



PINE TREE

VOR 7274

Dimensions
154x71x68 in
391x180x172 cm

Flow
8-10 GPM
30-38 LPM

Safeswap N°1

Pressure
6-7 PSI
0.4-0.5 BAR

SeeFlow™ Branches



SPRIG N°2

VOR 1121

Dimensions
144x57x90 in
365x145x228 cm

Flow
30-45 GPM
113-170 LPM

Safeswap N°1

* Great for use in PoolPlay™

Pressure
5-6 PSI
0.3-0.4 BAR

SeeFlow™ Leaf





SINGLE LEAF

VOR 7269

Dimensions
134x53x85 in
340x134x215 cm

Flow
6-8 GPM
22-30 LPM

Safeswap N°1

Pressure
6-7 PSI
0.41-0.48 BAR

Seeflow™ Leaf



Leaf Options



COCO PALM

VOR 7271

Dimensions
142x73x65 in
360x185x165 cm

Flow
6-8 GPM
22-30 LPM

Safeswap N°1

* Fix color proposition

Pressure
6-7 PSI
0.41-0.48 BAR

Seeflow™ Fronds



SINGLE LEAF TWIST

VOR 7285

Dimensions
143x110x77 in
364x280x197 cm

Flow
12-16 GPM
45-60 LPM

Safeswap N°1 x2

Pressure
6-7 PSI
0.41-0.48 BAR

Seeflow™ Leaf



Leaf Options



JIG REQUIRED



CONEFLOWER

VOR 7272

Dimensions
124x69x61 in
314x175x156 cm

Flow
5-7 GPM
18-26 LPM

Safeswap N°1

Pressure
10-12 PSI
0.69-0.83 BAR

Seeflow™ Petal



DOUBLE LEAVES

VOR 7270

Dimensions
145x138x89 in
369x351x226 cm

Flow
7-9 GPM
26-34 LPM

Safeswap N°1

Pressure
7-8 PSI
0.48-0.55 BAR

Seeflow™ Leaf



Leaf Options



LILIUM FLOWER

VOR 7273

Dimensions
144x42x62 in
365x107x159 cm

Flow
5-7 GPM
18-26 LPM

Safeswap N°1

Pressure
10-12 PSI
0.69-0.83 BAR

Seeflow™ Petal



DOUBLE LEAVES TWIST

VOR 7286

Dimensions
143x111x145 in
364x283x370 cm

Flow
14-18 GPM
68-52 LPM

Safeswap N°1 x2

Pressure
7-8 PSI
0.48-0.55 BAR

Seeflow™ Leaf



Leaf Options



LILIUM FLOWER TWIST

VOR 7287

Dimensions
143x61x72 in
364x155x183 cm

Flow
10-14 GPM
37-53 LPM

Safeswap N°1 x2

Pressure
10-12 PSI
0.6-0.8 BAR

Seeflow™ Petal



SEAWEED N°1

VOR 7779


Dimensions
57x11x25 in
145x27x62 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

SeeFlow™ Leaves



SEAWEED N°3

VOR 7781

Dimensions
87x22x24 in
221x55x61 cm

Flow
4-7 GPM
15-26 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

SeeFlow™ Leaves





SILHOUETTE N°1

VOR 7772

Dimensions
40x13x13 in
102x33x33 cm

Pressure
2-4 PSI
0.1-0.3 BAR

Flow
25-40 GPM
95-151 LPM

Safeswap N°1



OMBRELLO N°1

VOR 7445

Dimensions
122x36x36 in
310x91x91 cm

Pressure
5-6 PSI
0.3-0.4 BAR

Flow
5-7 GPM
19-27 LPM

Safeswap N°2

Seeflow™ Umbrella



SILHOUETTE N°2

VOR 7773

Dimensions
55x13x13 in
139x33x33 cm

Pressure
4-6 PSI
0.3-0.4 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°1



OMBRELLO N°3

VOR 7441

Dimensions
112x36x38 in
284x91x96 cm

Pressure
5-6 PSI
0.3-0.4 BAR

Flow
5-7 GPM
19-27 LPM

Safeswap N°2

Seeflow™ Umbrella



SILHOUETTE N°3


VOR 7774

Dimensions
79x26x13 in
201x66x33 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
4-8 GPM
15-30 LPM

Safeswap N°1



OMBRELLO TWIRL N°1

VOR 7446

Dimensions
122x36x36 in
310x91x91 cm

Pressure
5-6 PSI
0.3-0.4 BAR

Flow
5-7 GPM
19-26 LPM

Safeswap N°2

Seeflow™ Umbrella



SILHOUETTE N°4

VOR 7776

Dimensions
112x21x25 in
286x55x64 cm

Pressure
10-15 PSI
0.7-1.0 BAR

Flow
6-12 GPM
23-45 LPM

Safeswap N°1



SILHOUETTE N°5

VOR 7777

Dimensions
85x19x23 in
215x50x59 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
4-7 GPM
15-26 LPM

Safeswap N°1



REFRESH N°1

VOR 8767

Dimensions
102x16x11 in
259x41x27 cm

Pressure
20-30 PSI
1.4-2.0 BAR

Flow
0.1-0.2 GPM
0.4-0.8 LPM

* Specific Safeswap



BAMBOO CANNON N°2

VOR 7721

Dimensions
49x32x10 in
124x81x25 cm

Flow
2-7 GPM
8-26 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Accent



Safeswap N°6 w Podspray



BAMBOO TREE N°1

VOR 7725

Dimensions
170x71x11 in
431x180x27 cm

Flow
1-2 GPM
4-8 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Leaves



Safeswap N°2



BAMBOO TWIN CANNON

VOR 7786

Dimensions
31x14x26 in
78x35x66 cm

Flow
3-4 GPM
11-15 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Seeflow™ Accent



Safeswap N°2



BAMBOO TREE N°2

VOR 7789

Dimensions
143x46x27 in
363x116x68 cm

Flow
3-4 GPM
11-15 LPM

Pressure
4-5 PSI
0.28-0.35 BAR

Seeflow™ Leaves



Safeswap N°2



BAMBOO RING

VOR 7787

Dimensions
44x26x10 in
111x66x25 cm


Flow
1-3 GPM
4-11 LPM

Pressure
1-3 PSI
0.1-0.2 BAR

Seeflow™ Accent



Safeswap N°2



SPIROO

VOR 7799

Dimensions
39x15x10 in
99x38x25 cm

Flow
3-5 GPM
11-19 LPM

Pressure
3-5 PSI
0.2-0.4 BAR

Seeflow™ Leaf



Safeswap N°2



BAMBOO RAIN

VOR 7730

Dimensions
119x77x10 in
302x195x25 cm

Flow
5-14 GPM
19-53 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Accent



Safeswap N°2



HELICO NANO

VOR 7798

Dimensions
132x82x10 in
335x208x25 cm


Flow
10-15 GPM
37-56 LPM

Pressure
7-10 PSI
0.5-0.7 BAR

Seeflow™ Leaves



Safeswap N°2



BAMBOO STEM N°2

VOR 7728

Dimensions
123x34x10 in
312x86x25 cm

Flow
1-3 GPM
4-11 LPM

Pressure
7-10 PSI
0.5-0.7 BAR

Seeflow™ Accent



Safeswap N°2



HELICO

VOR 7790

Dimensions
177x122x11 in
459x309x28 cm

Flow
14-20 GPM
53-76 LPM

Pressure
11-16 PSI
0.8-1.1 BAR

Seeflow™ Leaves



Safeswap N°2





AQUA DOME N°1


VOR 0555

Dimensions
45x14x14 in
114x36x36 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
10-18 GPM
38-68 LPM

Safeswap N°1



ARCH

VOR 0515

Dimensions
87x74x14 in
221x188x36 cm

Pressure
10-25 PSI
0.7-1.7 BAR

Flow
9-18 GPM
34-68 LPM

Safeswap N°1 x2

JIG REQUIRED



AQUA DOME N°2

VOR 7530

Dimensions
72x14x14 in
183x36x36 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
10-18 GPM
38-68 LPM

Safeswap N°1



SPRAY LOOP

VOR 0519

Dimensions
64x4x76 in
163x11x194 cm

Pressure
10-25 PSI
0.7-1.7 BAR

Flow
5-10 GPM
19-38 LPM

Safeswap N°2 x2

JIG REQUIRED



LOOP N°1

VOR 7719

Dimensions
50x23x11 in
127x58x27 cm

Pressure
5-7 PSI
0.3-0.5 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°2



RAINBOW N°2

VOR 0548

Dimensions
81x167x41 in
205x424x104 cm

Pressure
10-25 PSI
0.7-1.7 BAR

Flow
15-30 GPM
57-114 LPM

Safeswap N°2 x6

JIG REQUIRED



LOOP N°2

VOR 7553

Dimensions
50x11x21 in
128x27x54 cm

Pressure
5-7 PSI
0.3-0.5 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°2



SPRAY LOOP W GRAPHICS

VOR 8654

Dimensions
71x4x76 in
180x11x194 cm

Pressure
10-25 PSI
0.7-1.7 BAR

Flow
5-10 GPM
19-38 LPM

Safeswap N°2 x2

* Made for custom graphics

JIG REQUIRED



SPRAY CANNON


VOR 0201

Dimensions
40x19x14 in
102x36x49 cm

Pressure
5-7 PSI
0.3-0.5 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°1



SUNSPRAY N°1

VOR 7578

Dimensions
121x14x26 in
307x36x66 cm

Pressure
15-20 PSI
1.0-1.4 BAR

Flow
10-15 GPM
38-57 LPM

Safeswap N°2



TUBE N°1

VOR 0220

Dimensions
46x11x26 in
118x27x65 cm

Pressure
5-7 PSI
0.3-0.5 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°2



WATERBUG N°2

VOR 7581

Dimensions
22x18x20 in
57x46x51 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
5-7 GPM
19-26 LPM

Safeswap N°1

* Available with custom graphics



BUCKET TRIO

VOR 0103

Dimensions
129x87x77 in
328x221x196 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
9-15 GPM
34-57 LPM

Fiberglass Bucket*



*Can be of different colors

Safeswap N°1

* Available with custom graphics



WATERBUG N°3

VOR 7582

Dimensions
22x18x20 in
57x46x51 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
5-7 GPM
19-26 LPM

Safeswap N°1

* Available with custom graphics



FUMBLING FIVE

VOR 7384

Dimensions
129x97x97 in
328x246x246 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
15-25 GPM
57-95 LPM

Fiberglass Bucket*



*Can be of different colors

Safeswap N°1

* Available with custom graphics



RESTRICTED
COLORS

TWINSPLASH

VOR 7242

Dimensions
182x57x35 in
463x144x114 cm

Pressure
9-10 PSI
0.6-0.7 BAR

Flow
9-15 GPM
34-57 LPM

Fiberglass Bucket*



Seeflow™ Roof



Safeswap N°1 only x1

* Available with custom graphics



SPLASH TRIO

VOR 7603

Dimensions
119x92x82 in
303x235x208 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
9-15 GPM
34-57 LPM

Seeflow™ Buckets*



*All of same color

Safeswap N°1



RESTRICTED
COLORS

SUPERSPLASH N° 2

VOR 0130

Dimensions
251x88x129 in
637x223x326 cm

Pressure
10-15 PSI
0.7-1.0 BAR

Flow
25-38 GPM
95-144 LPM

Fiberglass Bucket*



Safeswap N°1 x4

* Available with custom graphics



SPLASH FIVE

VOR 7604

Dimensions
119x100x96 in
303x253x243 cm

Pressure
5-10 PSI
0.3-0.7 BAR


Flow
15-25 GPM
57-95 LPM

Seeflow™ Buckets*



*All of same color

Safeswap N°1



SUPERWAVE

VOR 0136

Dimensions
247x67x156 in
629x170x396 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
25-35 GPM
95-132 LPM


Seeflow™ Roof/Wheel



Safeswap N°1 x4

JIG REQUIRED

JIG REQUIRED



SMALL KITE VOR 8732


Dimensions
170x84x63 in
431x213x160 cm

Flow
9-18 GPM
34-68 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Kite
● ● ● ● ●



LARGE KITE VOR 8731

Dimensions
194x84x63 in
492x213x160 cm

Flow
9-18 GPM
34-68 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Kite
● ● ● ● ●



TRACTOR LOOP VOR 8852

Dimensions
98x11x138 in
249x28x350 cm

Flow
5-7 GPM
19-26 LPM

Safeswap N°2 x3
* Fix color combinations

Pressure
10-14 PSI
0.7-1.0 BAR

Seeflow™ Panels
● ● ●



JIG REQUIRED



WATER TOWER VOR 0406

Dimensions
138x58x96 in
350x147x243 cm

Flow
20-30 GPM
76-113 LPM


Safeswap N°2 x3
* Available with custom graphics

Pressure
10-20 PSI
0.7-1.4 BAR

Panels
●



JIG REQUIRED



SINGLE TEEPEE VOR 8746

Dimensions
118x11x107 in
300x28x272 cm

Flow
5-10 GPM
19-38 LPM

Safeswap N°2 x2
* Available with custom graphics

Pressure
10-25 PSI
0.7-1.7 BAR

JIG REQUIRED

NEW



JET CANNON VOR 7290

Dimensions
43x20x17 in
110x51x42 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°2

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Wings
● ● ● ● ●

Water Journey™



WATER JOURNEY - LABYRINTH VOR 7120

Dimensions
9x194x315 in
22.2x492x799 cm

Flow
7-8 GPM
26-30 LPM

* Fix color proposition

Pressure
10-15 PSI
0.7-1.0 BAR



WATER JOURNEY-TIDE POOL VOR 7122

Dimensions
4x146x252 in
8x370x640 cm

Flow
7-8 GPM
26-30 LPM

* Fix color proposition

Pressure
10-15 PSI
0.7-1.0 BAR



WATER JOURNEY - RACES VOR 7121

Dimensions
7x194x315 in
18x492x799 cm

Flow
7-12 GPM
26-45 LPM

* Fix color proposition

Pressure
10-15 PSI
0.7-1.0 BAR



JIG REQUIRED

ALTO N°1


VOR 7130

Dimensions
23×50×51 in
58×127×130 cm

Flow
5-8 GPM
19-30 LPM

Safeswap N°2
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR



JIG REQUIRED

ALTO N°2


VOR 7131

Dimensions
23×50×51 in
58×127×130 cm

Flow
10-15 GPM
38-57 LPM

Safeswap N°2
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR



JIG REQUIRED

ALTO N°3


VOR 7132

Dimensions
23×75×73 in
58×190×185 cm

Flow
13-18 GPM
49-68 LPM

* Specific Safeswap w Hops
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR



JIG REQUIRED

PICO N°1

VOR 7127

Dimensions
19×41×39 in
48×104×99 cm

Flow
5-8 GPM
19-30 LPM

Safeswap N°2
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR



JIG REQUIRED

PICO N°2

VOR 7128

Dimensions
20×41×39 in
51×104×99 cm

Flow
8-12 GPM
30-45 LPM

Safeswap N°2
* Fix color combinations

Pressure
4-6 PSI
0.3-0.4 BAR



JIG REQUIRED

PICO N°3


VOR 7129

Dimensions
19×41×39 in
48×104×99 cm

Flow
10-15 GPM
38-57 LPM


Safeswap N°2
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR


SPRAYLINK JET N°1
VOR 3000

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	2-4 PSI 0.1-0.3 BAR
Flow	Recommended Height
2-3 GPM 7.5-11 LPM	5' / 152 cm

Possible with Fast Acting Valve (FAV)


SPRAYLINK BLOOM
VOR 3006


Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	3-4 PSI 0.2-0.3 BAR
Flow	Recommended Height
7-9 GPM 26.5-34 LPM	6' / 183 cm

Possible with Fast Acting Valve (FAV)


SPRAYLINK JET N°2
VOR 3001


Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	1-2 PSI 0.1-0.15 BAR
Flow	Recommended Height
4-6 GPM 15-22.5 LPM	3' / 91 cm

Possible with Fast Acting Valve (FAV)


SPRAYLINK FOUNTAIN
VOR 3007

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	3-5 PSI 0.2-0.3 BAR
Flow	Recommended Height
5-7 GPM 19-26.5 LPM	6' / 183 cm

Possible with Fast Acting Valve (FAV)



SPRAYLINK ARCH
VOR 3002

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	2-6 PSI 0.1-0.4 BAR
Flow	Recommended Length / Height
1-2 GPM 4-7.5 LPM	7' (213 cm) / 4' (122 cm)

Possible with Fast Acting Valve (FAV)


SPRAYLINK FUNNEL
VOR 3008

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	1-2 PSI 0.1-0.2 BAR
Flow	Recommended Height
6-8 GPM 23-30 LPM	6"-12" / 15-30 cm



SPRAYLINK SPLIT
VOR 3003

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	3-4 PSI 0.2-0.3 BAR
Flow	Recommended Length / Height
2-3 GPM 7.5-11 LPM	6' (183 cm) / 4' (122 cm)

Possible with Fast Acting Valve (FAV)


SPRAYLINK PODSPRAY
VOR 3009

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	4-10 PSI 0.3-0.7 BAR
Flow	Recommended Height
3-5 GPM 11-19 LPM	3' / 91 cm


SPRAYLINK FAN
VOR 3004


Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	4-6 PSI 0.3-0.4 BAR
Flow	Recommended Length / Height
6-8 GPM 22.5-30 LPM	10' (305 cm) / 3' (91 cm)

Possible with Fast Acting Valve (FAV)


SPRAYLINK GEYSER
VOR 3005

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	2-4 PSI 0.1-0.3 BAR
Flow	Recommended Height
4-6 GPM 15-23 LPM	5' / 152 cm

Possible with Fast Acting Valve (FAV)


SPRAYLINK WALL N°1


VOR 3050

Dimensions
0×5.3×35.3 in
0×13.5×90 cm

Flow
8-11 GPM
30-41.5 LPM

Pressure
2-4 PSI
0.1-0.3 BAR

Recommended Height
5' / 152 cm


SPRAYLINK CURVE


VOR 3056

Dimensions
0×17.7×42.2 in
0×145×107 cm

Flow
8-11 GPM
30-41.5 LPM

Pressure
2-4 PSI
0.1-0.3 BAR

Recommended Height
5' / 152 cm


SPRAYLINK WALL N°2


VOR 3051

Dimensions
0×5.3×75.3 in
0×13.5×191 cm

Flow
16-22 GPM
60.5-83 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Recommended Height
5' / 152 cm


SPRAYLINK WAVE


VOR 3057

Dimensions
0×38×85 in
0×96×215 cm

Flow
16-18 GPM
60-68 LPM

Pressure
3-4 PSI
0.2-0.3 BAR

Recommended Height
5' / 152 cm


SPRAYLINK ZIG-ZAG


VOR 3052

Dimensions
0×40×119 in
0×102×302 cm

Flow
24-33 GPM
91-125 LPM

Pressure
4-6 PSI
0.3-0.4 BAR

Recommended Height
5' / 152 cm


SPRAYLINK CYLINDER


VOR 3058

Dimensions
0×51×51 in
0×130×130 cm

Flow
18-20 GPM
68-76 LPM

Pressure
3-4 PSI
0.2-0.3 BAR

Recommended Height
5' / 152 cm


SPRAYLINK BOX

VOR 3053

Dimensions
0×67×67 in
0×171×171 cm

Flow
36-44 GPM
136-166 LPM

Pressure
8-10 PSI
0.5-0.7 BAR

Recommended Height
5' / 152 cm


SPRAYLINK TEAM N°1

VOR 3059

Dimensions
0×45×41 in
0×115×105 cm

Flow
10-12 GPM
38-45 LPM

Pressure
2-3 PSI
0.1-0.2 BAR

Recommended Height
4' / 122 cm


SPRAYLINK TUNNEL N°1


VOR 3054

Dimensions
0×5.3×47 in
0×13.5×120 cm

Flow
3-5 GPM
11-19 LPM

Pressure
4-6 PSI
0.3-0.4 BAR

Recommended Length / Height
7' (213 cm) / 4' (123 cm)


SPRAYLINK TEAM N°2

VOR 3060

Dimensions
0×5.3×55 in
0×13.5×140 cm

Flow
10-12 GPM
38-45 LPM

Pressure
2-3 PSI
0.1-0.2 BAR

Recommended Height
4' / 122 cm


SPRAYLINK TUNNEL N°2


VOR 3055

Dimensions
0×5.3×103 in
0×13.5×262 cm

Flow
6-10 GPM
23-38 LPM

Pressure
5-7 PSI
0.3-0.5 BAR

Recommended Length / Height
7' (213 cm) / 4' (123 cm)


SPRAYLINK TEAM N°3

VOR 3061

Dimensions
0×28×50 in
0×72×127 cm

Flow
10-12 GPM
38-45 LPM

Pressure
2-3 PSI
0.1-0.2 BAR

Recommended Height
4' / 122 cm


SPRAYLINK QUAD N°1

VOR 3062


Dimensions
 0×30×30 in
 0×76×76cm

Pressure
 1-2 PSI
 0.1-0.15 BAR

Flow
 24-28 GPM
 90-106 LPM

Recommended Height
 6" / 15 cm

SPRAYLINK QUAD N°3

VOR 3064

Dimensions
 0×30×30 in
 0×76×76cm


Pressure
 2-3 PSI
 0.1-0.2 BAR

Flow
 7-10 GPM
 26-38 LPM

Recommended Lenght / Height
 6' (183 cm) / 4' (122 cm)


SPRAYLINK QUAD N°2

VOR 3063


Dimensions
 0×30×30 in
 0×76×76cm

Pressure
 1-2 PSI
 0.1-0.15 BAR

Flow
 16-19 GPM
 60-72 LPM

Recommended Height
 3' / 91 cm

SPRAYLINK QUAD N°4

VOR 3065

Dimensions
 0×30×30 in
 0×76×76cm

Pressure
 2-4 PSI
 0.1-0.3 BAR

Flow
 14-24 GPM
 53-91 LPM

Recommended Height
 5' / 152 cm

Spray Stone
SPRAY STONE A

VOR 8862


Dimensions
 28×18×11 in
 71×46×28 cm

Pressure
 7-11 PSI
 0.5-0.8 BAR

Flow
 2-4 GPM
 8-15 LPM

Recommended Lenght / Height
 6' (183 cm) / 5' (152 cm)


SPRAY STONE B

VOR 8863

Dimensions
 28×18×11 in
 71×46×28 cm

Pressure
 7-11 PSI
 0.5-0.8 BAR

Flow
 2-4 GPM
 8-15 LPM

Recommended Height
 4' / 122 cm

SPRAY STONE C


VOR8864

Dimensions
 28×18×11 in
 71×46×28 cm

Pressure
 3-8 PSI
 0.2-0.6 BAR

Flow
 5-10 GPM
 19-39 LPM

Recommended Height
 4' / 122 cm



DIRECTIONAL JET N°1

VOR 0305


Dimensions
0x3x3 in
0x8x8 cm

Flow
1-3 GPM
4-11 LPM

Possible with Fast Acting Valve (FAV)

Pressure
2-8 PSI
0.1-0.5 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



DIRECTIONAL JET N°2

VOR 0321


Dimensions
0x3x3 in
0x7x7 cm

Flow
2-4 GPM
8-15 LPM

Possible with Fast Acting Valve (FAV)

Pressure
5-8 PSI
0.3-0.5 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



DIRECTIONAL JET N°3

VOR 0335


Dimensions
0x3x3 in
0x8x8 cm

Flow
2-4 GPM
8-15 LPM

Possible with Fast Acting Valve (FAV)

Pressure
7-11 PSI
0.5-0.8 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



GUSHER

VOR 0300

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
11-17 GPM
42-64 LPM

Possible with Fast Acting Valve (FAV)

Pressure
3-6 PSI
0.2-0.4 BAR

**Recommended
Height**
5' / 152 cm



GEYSER N°1

VOR 0301


Dimensions
0x3x3 in
0x8x8 cm

Flow
4-10 GPM
15-38 LPM

Possible with Fast Acting Valve (FAV)

Pressure
2-5 PSI
0.1-0.3 BAR

**Recommended
Height**
5' / 152 cm



GEYSER N°2

VOR 0331


Dimensions
0x3x3 in
0x8x8 cm

Flow
5-15 GPM
19-57 LPM

Possible with Fast Acting Valve (FAV)

Pressure
3-8 PSI
0.2-0.6 BAR

**Recommended
Height**
5' / 152 cm



JET STREAM N°1

VOR 7512

Dimensions
0x3x3 in
0x8x8 cm

Flow
2-3 GPM
8-11 LPM

Possible with Fast Acting Valve (FAV)

Pressure
5-10 PSI
0.3-0.7 BAR

**Recommended
Height**
5' / 152 cm



JET STREAM N°2

VOR 0325

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
3-5 GPM
11-19 LPM

Possible with Fast Acting Valve (FAV)

Pressure
3-5 PSI
0.2-0.3 BAR

**Recommended
Height**
3' / 91 cm



FOUNTAIN SPRAY N°1

VOR 7513


Dimensions
0x3x3 in
0x8x8 cm

Flow
3-7 GPM
11-26 LPM

Possible with Fast Acting Valve (FAV)

Pressure
5-10 PSI
0.3-0.7 BAR

**Recommended
Height**
6' / 183 cm



FOUNTAIN SPRAY N°2

VOR 7676


Dimensions
0x3x3 in
0x8x8 cm

Flow
1-5 GPM
4-19 LPM

Possible with Fast Acting Valve (FAV)

Pressure
5-10 PSI
0.3-0.7 BAR

**Recommended
Height**
6' / 183 cm



WATER BLOOM N°1

VOR 0322


Dimensions
0x3x3 in
0x7x7 cm

Flow
7-11 GPM
26-42 LPM

Possible with Fast Acting Valve (FAV)

Pressure
4-8 PSI
0.3-0.6 BAR

**Recommended
Height**
6' / 183 cm



WATER BLOOM N°2

VOR 0329


Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
7-11 GPM
26-42 LPM

Possible with Fast Acting Valve (FAV)

Pressure
4-8 PSI
0.3-0.6 BAR

**Recommended
Height**
5' / 152 cm



ROOSTER TAIL

VOR 0303

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
8-10 GPM
30-38 LPM

Pressure
8-10 PSI
0.5-0.7 BAR

**Recommended
Length / Height**
10' (305 cm) / 3' (91cm)

Possible with Fast Acting Valve (FAV)



WATER JELLY N°1


VOR 7010

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
5-7 GPM
19-26 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

**Recommended
Height**
6"-12" / 15-30 cm



SIDE WINDER

VOR 7518

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
5-8 GPM
19-30 LPM

Pressure
1-5 PSI
0.1-0.3 BAR

**Recommended
Height**
5' / 152 cm

Possible with Fast Acting Valve (FAV)



WATER JELLY N°3

VOR 7032

Dimensions
0x36x42 in
0x91x107 cm

Flow
15-20 GPM
57-76 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

**Recommended
Height**
6"-12" / 15-30 cm



SPARKLE N°1

VOR 0324

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
2-4 GPM
8-15 LPM

Pressure
2-6 PSI
0.1-0.4 BAR

**Recommended
Height**
4' / 122 cm




WALL WAVE

VOR 0326

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
4-7 GPM
15-26 LPM

Pressure
1-4 PSI
0.1-0.3 BAR



SPIDEY SPRAY N°2


VOR 7674

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
7-10 GPM
26-38 LPM

Pressure
2-5 PSI
0.1-0.3 BAR

**Recommended
Height**
3' / 92 cm



WALL SPRAY

VOR 0302

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
8-10 GPM
30-38 LPM

Pressure
5-10 PSI
0.3-0.7 BAR



SPLIT STREAM

VOR 7516

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
2-4 GPM
8-15 LPM

Pressure
3-6 PSI
0.2-0.4 BAR

**Recommended
Length / Height**
6' (183 cm) / 4' (122cm)

Possible with Fast Acting Valve (FAV)



MAGIC MIST N°2

VOR 8099

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
3-6 GPM
11-23 LPM

Pressure
10-25 PSI
0.7-1.7 BAR



WAVE


VOR 0327

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
4-7 GPM
15-26 LPM

Pressure
1-4 PSI
0.1-0.3 BAR

**Recommended
Length / Height**
5' (152 cm) / 4' (122cm)



FOAMING GEYSER N°2


VOR 8084

Dimensions
1x11x11 in
2.5x28x28 cm

Flow
8-20 GPM
30-76 LPM

Pressure
2-5 PSI
0.1-0.3 BAR

**Recommended
Height**
3' / 92 cm



TEAM SPRAY N°3


VOR 0328

Dimensions
0x36x18 in
0x91x46 cm

Flow
12-15 GPM
45-57 LPM

Pressure
1-5 PSI
0.1-0.3 BAR

**Recommended
Height**
4' / 122 cm



TEAM SPRAY N°1


VOR 7640

Dimensions
1x44x93 in
3x112x236 cm

Flow
15-20 GPM
57-76 LPM

Pressure
1-5 PSI
0.1-0.3 BAR

**Recommended
Height**
4' / 122 cm



WATER TUNNEL N°2


VOR 0309

Dimensions
0x3x56 in
0x8x142 cm

Flow
8-16 GPM
30-60 LPM

Pressure
7-11 PSI
0.5-0.8 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



WATER WALL N°1


VOR 0318

Dimensions
0x3x51 in
0x8x130 cm

Flow
15-20 GPM
57-76 LPM

Pressure
7-11 PSI
0.5-0.8 BAR

**Recommended
Height**
5' / 152 cm



WATER TUNNEL N°1


VOR 0304

Dimensions
0x3x120 in
0x8x305 cm

Flow
16-32GPM
61-121 LPM

Pressure
7-11 PSI
0.5-0.8 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



CYLINDER SPRAY

VOR 0307

Dimensions
0x38x38 in
0x97x97 cm

Flow
28-36 GPM
106-136 LPM

Pressure
11-13 PSI
0.8-0.9 BAR

**Recommended
Height**
5' / 152 cm



WATER TUNNEL N°3


VOR 7641

Dimensions
0x44x86 in
0x111x217cm

Flow
16-32 GPM
61-121 LPM

Pressure
5-8 PSI
0.3-0.5 BAR

**Recommended
Length / Height**
5' (152 cm) / 6' (183cm)



DONUT SPRAY

VOR 0306

Dimensions
0x26x26 in
0x66x66 cm

Flow
28-36 GPM
106-136 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



JIG REQUIRED
Safeswap N°2 only x1

CASCADE RIVER

VOR 7249

Dimensions
65x47x153 in
164x118x389 cm

Flow
4-6 GPM
15-23 LPM

Orbs




Pressure
3-4 PSI
0.2-0.3 BAR

Seeflow™ Bowls/Waves



Seeflow™ Pond



SLIDENUK

VOR 7257

Dimensions
53x33x117 in
135x84x297 cm

Flow
8-15 GPM
30-53 LPM

No Safeswap

* Limited color proposition

* Available with custom graphics

Pressure
1.5-2.5 PSI
0.1-0.2 BAR



JIG REQUIRED
Safeswap N°2 only x1

CASCADE LOOP

VOR 7250

Dimensions
71x73x72 in
180x186x182 cm

Flow
4-6 GPM
15-23 LPM

Orbs



Pressure
3-4 PSI
0.2-0.3 BAR

Seeflow™ Bowls/Waves



Seeflow™ Pond



UMBRELLA

VOR 0114

Dimensions
120x60x60 in
305x152x152 cm

Flow
50-100 GPM
189-378 LPM

Safeswap N°1

Pressure
5-15 PSI
0.3-1.0 BAR



JIG REQUIRED
Safeswap N°2 x4

CASCADE RAINFOREST

VOR 7251

Dimensions
89x114x168 in
226x290x426 cm

Flow
WATER LINE 1
(HIGH BASINS)
12-20 GPM
45-76 LPM

Seeflow™ Pond



Orbs



Pressure
3-4 PSI
0.2-0.3 BAR

WATER LINE 2
(LOW BASINS)
8-12 GPM
30-45 LPM

Seeflow™ Bowls/Waves



POOL BUBBLER


VOR 1107

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
20-40 GPM
76-151 LPM

* Must by submerge in 4"-8" (10-20cm) of water

Pressure
5-11 PSI
0.3-0.8 BAR



RIO NANO N°1

VOR 7695

Dimensions
86x175x38 in
218x444x96 cm

Flow
3-6 GPM
11-23 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Buckets



Safeswap N°2 only x1



RIO GRANDE N°1

VOR 7693

Dimensions
143x175x181 in
363x444x459 cm

Flow
15-30 GPM
57-114 LPM

Pressure
10-15 PSI
0.7-1.0 BAR


Seeflow™ Buckets



Safeswap N°2 only x2



JIG REQUIRED



RIO NANO N°2

VOR 7696

Dimensions
86x196x38 in
218x497x96 cm

Flow
4-8 GPM
15-30 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Buckets



Safeswap N°2 only x1



RIO GRANDE N°2

VOR 7694

Dimensions
143x196x181 in
363x497x459 cm

Flow
20-40 GPM
76-151 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Buckets



Safeswap N°2 only x2



JIG REQUIRED



RIO SPLASH TRIO

VOR 7605

Dimensions
119x141x95 in
303x359x242 cm

Flow
9-15 GPM
34-57 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Buckets



Safeswap N°1



RIO WATERFALL

VOR 7243

Dimensions
90x39x10 in
228x99x25 cm

Flow
75-90 GPM
283-341 LPM

Pressure
20 PSI
1.4 BAR

Safeswap N°2



RIO WATER CURTAIN

VOR 7244

Dimensions
90x77x10 in
228x195x25 cm

Flow
75-90 GPM
283-341 LPM

Pressure
20 PSI
1.4 BAR

Safeswap N°2


SERENE EXPERIENCE



COREOPLAY™ SUNSET
VOR 7060

Dimensions 13×141×0 in 34×359×0 cm	Pressure 3-5 PSI 0.2-0.3 BAR
Flow 20-30 GPM 76-113 LPM	Recommended Height 4' / 122 cm


x5 separate lines (water-electric-drain)



COREOPLAY™ RAINBOW
VOR 7061

Dimensions 109×109×0 in 277×277×0 cm	Pressure 3-5 PSI 0.2-0.3 BAR
Flow 32-48 GPM 121-181 LPM	Recommended Height 4' / 122 cm

x8 separate lines (water-electric-drain)




COREOPLAY™ OCEAN
VOR 7062

Dimensions 157×157×0 in 399×399×0 cm	Pressure 3-5 PSI 0.2-0.3 BAR
Flow 32-48 GPM 121-181 LPM	Recommended Height 4' / 122 cm

x8 separate lines (water-electric-drain)


DYNAMIC EXPERIENCE (FAST ACTING VALVES)



COREOPLAY™ VOLCANO
VOR 7063

Dimensions 13×141×0 in 34×359×0 cm	Pressure 3-5 PSI 0.2-0.3 BAR
Flow 20-30 GPM 76-113 LPM	Recommended Height 4' / 122 cm

x5 separate lines (water-electric-drain)



COREOPLAY™ FIREWORK
VOR 7064

Dimensions 109×109×0 in 277×277×0 cm	Pressure 3-5 PSI 0.2-0.3 BAR
Flow 32-48 GPM 121-181 LPM	Recommended Height 4' / 122 cm

x8 separate lines (water-electric-drain)



COREOPLAY™ WAVE
VOR 7065

Dimensions 157×157×0 in 399×399×0 cm	Pressure 3-5 PSI 0.2-0.3 BAR
Flow 32-48 GPM 121-181 LPM	Recommended Height 4' / 122 cm

x8 separate lines (water-electric-drain)

COREOPLAY™ CREATION

FOR CUSTOM PROJECTS, CONTACT YOUR SALES REPRESENTATIVE FOR ASSISTANCE



ACTIVATOR N°4

VOR 0622

Dimensions
37×8×8 in
94×20×20 cm

Surface Mount




ACTIVATOR N°5

VOR 0623

Dimensions
37×14×14 in
94×36×36 cm


Safeswap N°1



GROUND ACTIVATOR

VOR 0621

Dimensions
0×6×6 in
0×15×15 cm



PLAYSAFE DRAIN N°4

VOR 1004

Dimensions
0×22×22 in
0×56×56 cm

Flow

240 GPM (300 GPM MAX)
908 LPM (1135 LPM MAX)



LED LIGHT RGB (CE)

VOR 7050

Dimensions
0×7×7 in
0×18×18 cm

Pressure
0-0 PSI
0.0-0.0 BAR

LED LIGHT RGBW (UL) NORTH AMERICA

VOR 7056

Dimensions
0×9×9 in
0×22×22 cm

Pressure
0-0 PSI
0.0-0.0 BAR



PUSH BUTTON ACTIVATOR

VOR 0604, 0605

Dimensions
38×25×25 in
96.5×63.5×63.5 cm

VOR 0604: 1 water line
VOR 0605: 3 water lines

GLOMIST

GLOMIST NANO
VOR 7248
Dimensions
86x10x14 in
218x25x36 cm

Pressure
20-30 PSI
1.4-2.0 BAR

Flow
0.1-0.3 GPM
0.4-1.1 LPM

* Specific Safeswap
* Available w integrated activation

AERIS
NEW

AERIS CLOUD MIST W ACTIVATOR
VOR 3508
Dimensions
108.5x20x11.5 in
276x51x29 cm

Pressure
20-30 PSI
1.4-2.0 BAR

Flow
0.1-0.3 GPM
0.4-1.1 LPM

Safeswap N°1
* Available w integrated activation ONLY


GLOMIST
VOR 7247
Dimensions
108x10x14 in
275x25x41 cm

Pressure
20-30 PSI
1.4-2.0 BAR

Flow
0.3-0.5 GPM
1.1-1.9 LPM

* Specific Safeswap
* Available w integrated activation

NEW

AERIS SOFT RAIN W ACTIVATOR
VOR 3507
Dimensions
114.5x48x11.5 in
290x122x29 cm

Pressure
20-30 PSI
1.4-2.0 BAR

Flow
0.3-0.4 GPM
1.1-1.5 LPM

Safeswap N°1
* Available w integrated activation ONLY


ABRIO

ABRIO 1
VOR 3501
Dimensions
11'5"x12"x12" ft
3.48x3.66x3.66 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.1-1.5 GPM
4.2-5.7 LPM

* Available without River Maze VOR 3501B

JIG REQUIRED

ABRIO 2
VOR 3502
Dimensions
12'9"x15'2"x17'2" ft
3.89x4.62x5.23 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.3-1.8 GPM
4.9-6.8 LPM

* Available without River Maze VOR 3502B

JIG REQUIRED

ABRIO 3
VOR 3503
Dimensions
12'9"x20'3"x20'3" ft
3.89x6.17x6.17 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.4-2.1 GPM
5.3-7.9 LPM

* Available without River Maze VOR 3503B

JIG REQUIRED

ABRIO 4
VOR 3504
Dimensions
11'5"x16'2"x16'5" ft
3.48x4.93x5.0 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
0.6-0.9 GPM
2.3-3.4 LPM

* Available without River Maze VOR 3504B


JIG REQUIRED

ABRIO 5
VOR 3505
Dimensions
12'9"x16'2"x21'3" ft
3.89x4.93x6.48 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.1-1.5 GPM
4.2-5.7 LPM

* Available without River Maze VOR 3505B

JIG REQUIRED

ABRIO 6
VOR 3506
Dimensions
12'9"x24'4"x21'3" ft
3.89x7.42x6.48 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.3-1.8 GPM
4.9-6.8 LPM

* Available without River Maze VOR 3506B

JIG REQUIRED

NOTES FOR ALL ABRIO CONFIGURATIONS

*Sprayzone is not identified due to low flow of the mist and soft rain. It is subject to wind intensity, direction and natural evaporation of the site.

*Soft rain and mist feature are always interchangeable at order

SMARTCONNECT™

The Abrio MicroFlow™ controller communicates with the SmartConnect™ app via Wi-Fi. Simply connect Abrio to your nearest Wi-Fi connection



MAESTROPRO™



SMARTFLOW™ LOGICS

SMARTFLOW™ COMMAND CENTER



SMARTPOINT™ N°1

1-10 valves

Electrical connections required
Available with post or foot activator



SMARTPOINT™ N°4

1-4 valves

Rechargeable battery operated
Available with post or foot activator

Optional separate solar post for
battery recharge



CABINET (ECCC 2.0)

1-10 valves
11-15 valves
16-20 valves



WALL MOUNT (WCC 2.0)

1-5 valves
6-10 valves
11-15 valves
16-20 valves



VAULT (VCC)

1-10 valves
11-20 valves

RECIRCULATION COMMAND CENTER



DOME PACK



MODULAR



WIND LOAD CONSIDERATIONS

Products may not meet site-specific wind speed requirements.

Project-specific wind conditions and required certifications must be validated.

Reinforced configurations may be possible for certain products upon custom request and engineering validation.